

ZSIVIRA CHEMIE MERK PRIVATE UMITED

According to 91/155EC

Material Safety Data Sheet

Date of Issue : 20.09.2017 Page : 1/4

1.IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND DETAILS OF THE COMPANY

Product Details

Product Name: TENSYN FN

Generic Name : Synthetic Organic Tanning Agent Usage : In Leather Processing (See S.No.16)

Manufacturer/Supplier details:

ZSIVIRA CHEMIE MERK PRIVATE UMITED

"Iyengar House" 9.Arkeeshwarar Colony Main Road Lakshmipuram, Chromepet CHENNAI – 600 044. INDIA

Emergency Telephone Number: +91-0 7667620805 or call your nearest poison control center

2. COMPOSITION/INFORMATION ON INGREDIENTS

Chemical Characterization: Blend of Inorganic Buffering Salts with Phenol Sulfonates

Dangerous Components:

CAS NO. Designation % Index R-Phrases

VOID

3. HAZARDS IDENTIFICATION

Hazard Designation:

According to present state of knowledge, provided that this product is handled correctly, there is no known danger to humans.

Information pertaining to particular dangers for man and environment:

No particular hazards known.

4. FIRST AID MEASURES

General Information: Take affected persons into the open air.

After inhalation: supply fresh air, consult doctor in case of symptoms.

After skin contact: Instantly wash with soap and water. **After eye contact**: Immediately rinse eyes with running water.

After ingestion: In case of persistent symptoms consult doctor. Show container or the label.

5. SPECIAL FIRE FIGHTING PROCEDURES

Suitable extinguishing agents: Foam, Carbon di oxide, dry powder, water spray

For safety reasons unsuitable extinguishing agents : No restrictions

Special advice in case of fire: No special advice.

Preventive equipment: Do not inhale explosion and / or combustion gases.

zsivira

ZSIVIRA CHEMIE MERK PRIVATE UMITED

According to 91/155EC

Additional Information: Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

Material Safety Data Sheet

Date of Issue : 20.09.2017 Page : 2/4

6. ACCIDENTAL RELEASE MEASURES

After spillage, leakage , gas leakage : Use personal protective equipment.

Large Amounts: Do not let the liquid drain in rivers, ponds or sewer systems. **Small Amounts**: Prevent material from reaching sewage system, holes and cellars.

Take up with absorbent material such as sand and dispose.

Cleaning of equipment: Pick up with absorbent material. Dispose of absorbed material in

Accordance with regulations

Additional information: See Sec 8 for information on personal protection equipment

7. HANDLING AND STORAGE

Handling:

Information for safe handling:

When working with the product vapours/aerosols may be evolved; therefore a local exhaust and Ventilation are recommended.

Information about protection against explosions and fires: No special measures required.

Storage

No special measures required for storing in store rooms/containers/common storage facility.

Keep in a cool/dry place.

Storage class: 10

Class according to regulation on inflammable liquids : Void

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

CAS NO. Designation % Type Value Unit

The product does not contain any relevant quantities of materials with critical values that have to be Monitored at the work place.

Additional Information:

The lists that were valid during the compilation were used as basis.

Personal protective equipment:

General protective and hygienic measures: Wash hands during breaks and at the end of work.

Respiratory Protection: Breathing apparatus in the event of aerosol or mist formation.

Short term: Filter apparatus, combination filter A-P2.

Protection of hands: Protective PVC gloves. Eye Protection: goggles with side pieces.

Body Protection : Not required.

9. PHYSICAL AND CHEMICAL PROPERTIES

Form : Powder

Colour : Pale White to Beige Odour : Characteristic

ZSIVIRA CHEMIE MERK PRIVATE UMITED

According to 91/155EC

Change in condition : Mildly Hygroscopic. No particular change in condition.

Material Safety Data Sheet

Date of Issue: 20.09.2017 Page: 3/4

Flash Point: >100'C

Self inflammability: Product is not self inflammable. Danger of Explosion: Product is not explosive.

Density: approx at 25'C 1.23g/cm3

Solubility/Miscibility in water: Soluble under stirring

pH value 10%: at 25'C 8.0 to 9.0

10. STABILITY AND REACTIVITY

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

Dangerous products of decomposition: When used and handled as intended, none.

11.TOXICOLOGICAL INFORMATION:

Remarks: According to experience, the product is considered to be harmless to health if used in Correct manner.

Primary irritant effect :

On the skin : No irritant effect

: Irritant On the eye

Sensitization : Slight sensitizing effect found

12. ECOLOGICAL INFORMATION:

Remark: No data Available

General Notes:

Water hazard class 1 (Self Assessment): slightly hazardous for water.

Do not allow undiluted product or large quantities of to reach ground water, water bodies or sewage

System.

13. DISPOSAL CONSIDERATIONS:

Organically bounded chemical elements in the product: Mix with flammable liquids.

Recommendation: In accordance with local authority regulations, take to special waste incineration Plant.

Uncleanness packaging: If empty contaminated containers are recycled or disposedof, the receiver Must be informed about possible hazardous.

Recommendation: Disposal must be made according to official regulations.

Recommended cleaning agent: Water, if necessary with cleaning agents.



ZSIVIRA CHEMIE MERK PRIVATE UMITED

According to 91/155EC

Material Safety Data Sheet

Date of Issue : 20.09.2017 Page : 4/4

14. TRANSPORT INFORMATION:

Land transport ADR / RID : (Cross Border) ARD / RID - GGVS / E Class : --

Maritime transport IMDG:

IMDG Class: --

Air transport ICAO - TI and IATA -NON DGR:

ICAO / IATA Class:

15. REGULATORY INFORMATION

Designation according to EC guidelines: Observe the normal safety regulations of handling chemical The product is not subject to identification regulations under EC Directives.

National regulations: Products is not subject to the regulations on flammable substances.

Water hazard class L Water hazard class 1 (Self Assessment): Slightly hazardous

16. ADDITIONAL INFORMATION

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

The product is intended to be used as Tanning Agent in Leather Processing.